



EINTAC

Expert in **safe-working**
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

☎ +44 (0)1376 525606



PART No.

EHV-SLS###

Insulated Slotted Screwdrivers

DESCRIPTION

- // Precision hardened Chrome-Vanadium-Molybdenum steel blade
- // High torque soft-grip screwdriver for slotted screws
- // Blade insulation directly mounted onto blade
- // Ergonomic, multi-component handle
- // Tips and dimensions acc. to DIN7437, ISO2380, DIN5264

INSULATION

Insulated according to IEC 60900
Usable up to 1000V AC / 1500V DC



These screwdrivers are also available as part of a kit or set.

PART NO.	TIP LENGTH (mm)	TIP WIDTH (mm)	BLADE LENGTH (mm)	WEIGHT (g)
EHV-SLS325	2.5	0.4	75	40
EHV-SLS328	2.8	0.6	75	43
EHV-SLS331	3	0.5	100	45
EHV-SLS335	3.5	0.6	100	47
EHV-SLS340	4	0.8	100	63
EHV-SLS344	4.5	0.8	125	72
EHV-SLS345	4.5	1	125	71

PART NO.	TIP LENGTH (mm)	TIP WIDTH (mm)	BLADE LENGTH (mm)	WEIGHT (g)
EHV-SLS399	4.5	0.6	175	78
EHV-SLS398	4.5	1	175	79
EHV-SLS355	5.5	1	125	82
EHV-SLS354	5.5	1	150	88
EHV-SLS390	5.5	1	175	100
EHV-SLS365	6.5	1.2	150	118
EHV-SLS380	8	1.2	175	174
EHV-SLS310	10	1.6	200	241

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.